

FILE NOTATIONS

Entered in NID File _____
 Entered On S R Sheet _____
 Location Map Pinned _____
 Copy Indexed _____
 IWR to State or Fee Land _____

Checked by Chief _____
 Copy NID to Field Office _____
 Approval Letter _____
 Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 6-29-81
 OW..... WW..... TA.....
 GW..... OS..... PA ✓

Location Inspected _____
 Bond released _____
 State of Fee Land _____

LOGS FILED

Driller's Log.....

Electric Logs (No.).....

E..... I..... E-I..... GR..... GR-N..... Micro.....
 Lat..... Mi-L..... Sonic..... Others.....

9-11-82 *gfk*

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. Land Office
Salt Lake City
Serial Number **027720**
Lease or Permit **Permit**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL	X
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 30, 1931, 192

Following is a ~~notice of intention to do work~~ ^{report of work done} on land under ~~permit~~ ^{lease} described as follows:

Utah	Washington	Virgin
(State or Territory)	(County or Subdivision)	(Field)
Well No. Parsons "B"	SE 1/4 Sec. 10	41 South 12 West S.L.M.
	(1/4 Sec. and Sec. No.)	(Twp.) (Range) (Meridian)

The well is located $\frac{N}{S}$ ft. of $\frac{E}{W}$ line and $\frac{E}{W}$ ft. of $\frac{E}{W}$ line of sec. $\frac{E}{W}$

The elevation of the derrick floor above sea level is $\frac{E}{W}$ ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

The work of plugging and marking this well as required in Contract L-ga-1297 has been completed in the following manner:

Received copy of approved contract and official notice to proceed with work June 23, 1931.

Moved mudding equipment, cement, and other material to location on June 28, 1931. Cleaned out bottom of cellar and found upper part of hole filled with shale, mud and gravel washed in by rains during the past several years. Placed wooden conductor box and hole extending from bottom of cellar to above level of ground surface. Filled in cellar to ground level. Erected marker consisting of a joint of 5" casing, approximately 22' in length with lower 17' embedded in cement. The top of the marker was capped with a screw cap. Cleaned up all rubbish and left premises in a clean and orderly condition. Work completed June 29, 1931.

Approved July 18, 1931 (See Note*)

Company

E. H. Henderson

By

A. C. Burnham

Title

District Engineer

Title

Contractor

Address

**518 Federal Bldg.
Salt Lake City, Utah**

Address

Virgin, Utah

NOTE.—Reports on this form to be submitted in triplicate to the Supervisor for approval.

Approved subject to maintenance in a condition satisfactory to the Supervisor, U. S. Geological Survey

Barton taking notes on old well



Well E. (Barton's Report 10-31-27)
Sec. 16, T., 41 S., R. 12 W.,
Virgin Field, Washington County

WASHINGTON
Virgin

Star-Crescent Oil Co.-No.1, Parsons "B"
SWSESE Sec.10-41S-12W (S.L.027759) JUL 1931

Well drilled to a total depth of 650' prior to the leasing act; plugged and abandoned June 28, 1931 under Government contract I-gs-1297. The hole was found to be filled in with rain waste, cellar was cleaned out and filled to original level of ground surface, a regulation marker was erected at the surface. Subsequent Report of Abandonment approved July 18, 1931. (Visited 6-29-31)

STATUS: Changed from Abs to P&S